

STAFF ROOM LOCATED  
IN ADJACENT BUILDING


**LICENSING KEY**

Licensable Activity

**NOTES:**  
Items shown on this plan which are not part of the statutory requirements are shown for indicative purposes only. This would include loose or fixed furniture in certain circumstances, the position of toilet cubicles, CCTV cameras and fire safety equipment not specified in the Regulations. These are shown upon the plans for illustrative purposes only and may be moved at the discretion of the license holder.

The current location of fire safety equipment and other safety equipment is shown. These may be subject to variation in the future as necessary and where applicable in liaison with the Fire Officer or other fire risk assessment.

- TAP Fire Alarm Panel
- Det Automatic fire detector
- Manual Call Point
- S Sounder beacon
- E Emergency light-fitting (Fluorescent Downlight or luminaire)
- E Emergency Exit Light c/w legend (directional)
- 9 9-litre water fire extinguisher
- D Dry powder fire extinguisher
- C Carbon Dioxide fire extinguisher
- F Foam fire extinguisher
- W Wet chemical extinguisher
- FB Fire Blanket
- SCFD Self closing Fire door
- FE Fire Exit door



1 Navigation Court  
Calder Park  
Wakesfield  
WF2 7BJ

Tel: 01924 252 482  
Email: studio@spatialized.com  
Web: www.spatialized.com

---

Slage TENDER

---

Title **LICENSING LAYOUT**

---

Address **RESTAURANT HASLAR  
HASLAR MARINA, HASLAR  
ROAD,  
GOSPORT, HAMPSHIRE,  
PO12 1NU**

---

Date <b>DEC'21</b>	Revision <b>A</b>
Drawn <b>CB</b>	Job No <b>25-22-1155</b>
Scale <b>1:50 @ A1</b>	Dwg No <b>L1</b>

---

Copyright © This drawing is design and all the information contained therein is the sole copyright of Spatialized Ltd - and reproduction in any form is forbidden unless permission is obtained in writing.

CONTRACTORS PLEASE NOTE:  
1. Warning: no dimensions are to be scaled from this drawing. All Contractors must visit site and be responsible for taking & checking all dimensions relative to this work. The Designer must be advised of any discrepancies in writing.  
2. Any discrepancies between drawings & specification should be reported to the Designer prior to any work commencing.  
3. All fixtures and fittings should be fitted/installed in line with industry standards and comply with HSE, CDM, CSC and the regulations outlined by any other regulatory body applicable.